









PRODUCT RANGE

A75-2

Highway

Fits: Truck with plastic bumper Estimated fitting time: 1 hour Overhang of vehicles

270 mm Weight: 34 kg

G73-3

Top-Bar Fits: Estimated fitting time:

0.5 hour Weight: 6 kg

G73-4

LX cab

Top-Bar

L cab and M cab

Estimated fitting time: 0.5 hour Weight: 6 kg



G73-7

Rear Top-Bar

L cab and M cab

0,5 hour Weight: 4 kg



E73-4 Fits:

XL cab

Spacing tube Estimated fitting time:

Weight: 5 kg



H75-2

Light-Bar

Estimated fitting time: 1 hour Overhang of vehicle:

120 mm Weight: 3,5 kg

K75-3 Fits: Kipper X-Light

Estimated fitting time: 1 hour Overhang of vehicle: 160 mm

Weight: 10 kg

K75-6

Fits: Truck with plastic bumper X-Light Estimated fitting time: 1 hour Overhang of vehicle:

140 mm Weight: 9,5 kg

S-1

0-2 500 mm

S-2

2 501-5 000 mm

Sideliner

Order to size required up to 2.5 metres per length

15935 Catwalk

> Can be mounted together with some roof mounting. Estimated fitting hour: 0,25 hour

Weight: 6,5 kg

經

FITTING TIME IS EXCLUDING WIRING. THE WEIGHTS INDICATED ARE FOR THE BAR ONLY - EXCLUDES ACCESSORIES



AIRFLOW

Trux products are supplied as standard in the unique Airflow design but is also available in plain smooth profile.



PAINTED AND READY

All Trux products can be supplied in any colour and even special colors such as Pearl- and metallic lacquer.



MADE IN SWEDEN

All Trux products are made in Sweden, but no matter where in the world you are - they always protect your trucks fragile parts.

