






	<p>Airflow Clamp A designed clamp that belongs in our Airflow-series. It consists of two parts that are connected and squeezed together with a screw. Allows flexibility when mounting different accessories. 1 pc conduit entry is delivered with each clamp.</p> <p>Weight: 0,25 kg Material: Aluminum</p>	<p>15903 Anodized</p> <p>16903 White powder</p> <p>17903 Black powder</p> <p>18903 Sand blasted</p> <p>19903 Painted</p>	<p>330,-</p> <p>340,-</p> <p>340,-</p> <p>330,-</p> <p>340,-</p>
	<p>AF Extension Extension suitable for the AF Clamp design. To be used in cases when the accessory is to be mounted further away from – or sideways from the clamps location.</p> <p>Weight: 0,20 kg Material: Aluminum</p>	<p>15923 Anodized</p> <p>16923 White powder</p> <p>17923 Black powder</p> <p>18923 Sand blasted</p> <p>19923 Painted</p>	<p>100,-</p> <p>110,-</p> <p>110,-</p> <p>100,-</p> <p>110,-</p>
	<p>Mounting plate for beacons in 3 different sizes Material: Aluminium</p> <p>A = 150 mm B = 107 mm</p> <p>Weight: 0,25 kg</p>	<p>15915 Anodized</p> <p>16915 White powder</p> <p>17915 Black powder</p> <p>18915 Sand blasted</p> <p>19915 Painted</p>	<p>220,-</p> <p>230,-</p> <p>230,-</p> <p>220,-</p> <p>230,-</p>
	<p>A = 170 mm B = 130 mm</p> <p>Weight: 0,35 kg</p>	<p>15917 Anodized</p> <p>16917 White powder</p> <p>17917 Black powder</p> <p>18917 Sand blasted</p> <p>19917 Painted</p>	<p>230,-</p> <p>240,-</p> <p>240,-</p> <p>230,-</p> <p>240,-</p>
	<p>A = 240 mm B = 200 mm</p> <p>Weight: 0,65 kg</p>	<p>15916 Anodized</p> <p>16916 White powder</p> <p>17916 Black powder</p> <p>18916 Sand blasted</p> <p>19916 Painted</p>	<p>260,-</p> <p>270,-</p> <p>270,-</p> <p>260,-</p> <p>270,-</p>

	<p>Clamp Consist of two parts that are connected and squeezed together with a screw. Allows flexibility when mounting different accessories. 1 pc conduit entry is delivered with each clamp.</p> <p>Weight: 0,25 kg Material: Aluminium</p>	<p>15902 Anodized</p> <p>16902 White powder</p> <p>17902 Black powder</p> <p>18902 Sand blasted</p> <p>19902 Painted</p>	<p>270,-</p> <p>280,-</p> <p>280,-</p> <p>270,-</p> <p>280,-</p>
	<p>Extension To be used in cases when the accessory is to be mounted further away from – or sideways from the clamps location.</p> <p>Weight: 0,15 kg Material: Aluminum</p>	<p>15912 Anodized</p> <p>16912 White powder</p> <p>17912 Black powder</p> <p>18912 Sand blasted</p> <p>19912 Painted</p>	<p>100,-</p> <p>110,-</p> <p>110,-</p> <p>100,-</p> <p>110,-</p>
	<p>Clamp 20 mm Consist of two parts that are connected and squeezed together with a screw. Allows flexibility when mounting different accessories.</p> <p>Weight: 0,15 kg Material: Aluminum</p>	<p>15956 Anodized</p> <p>18956 Sand blasted</p> <p>19956 Painted</p>	<p>200,-</p> <p>200,-</p> <p>210,-</p>
	<p>Mounting plate For mounting of Hella Luminator in X-Light bars. Makes the spotlights glass to be in level with the X-light bar.</p> <p>Weight: 0,10 kg Material: Aluminium</p>	<p>15907 Anodized</p> <p>16907 White powder</p> <p>18907 Sand blasted</p> <p>19907 Painted</p>	<p>190,-</p> <p>200,-</p> <p>190,-</p> <p>200,-</p>



Angled extension

For mounting warning beacons on Top-bars. The four holes give you many choices for the best location of the beacon.

Weight: 0,15 kg

Material: Aluminum

Angled 5°

15961 Anodized	120,-
16961 White powder	130,-
17961 Black powder	130,-
18961 Sand blasted	120,-
19961 Painted	130,-

Angled 8°

15945 Anodized	120,-
16945 White powder	130,-
17945 Black powder	130,-
18945 Sand blasted	120,-
19945 Painted	130,-

Angled 17°





15946 Anodized	120,-
16946 White powder	130,-
17946 Black powder	130,-
18946 Sand blasted	120,-
19946 Painted	130,-





Angled 29°








15952 Anodized	120,-
16952 White powder	130,-
17952 Black powder	130,-
18952 Sand blasted	120,-
19952 Painted	130,-



Angled 50°

15947 Anodized	120,-
16947 White powder	130,-
17947 Black powder	130,-
18947 Sand blasted	120,-
19947 Painted	130,-

	<p>Universal fitting For roof signs / light bars</p> <p>Delivered in a set of two brackets and screws.</p> <p>Weight: 0,60 kg Material: Aluminum</p>	<p>20409 Anodized black</p>	<p>460,-</p>
	<p>Bracket for accessories To be fitted on Scania 4-, R-, G-, P- and T-series roof rails.</p> <p>Weight: 0,30 kg Material: Aluminum</p>	<p>17920 Black powder</p>	<p>800,-</p>
	<p>Elevation set for roof sign For Scania C19N cabin.</p> <p><i>Delivered in a set of two brackets with screws and distances.</i></p> <p>Weight: 1,20 kg Material: Aluminum</p> <p>Note! Excl. Clamps!</p>	<p>17921 Black powder</p>	<p>540,-</p>
	<p>Rotation beacon Hella KL-Rotafix Fits mounting plate 170 mm Delivered incl. 24V bulb</p>	<p>97016</p>	<p>1 100,-</p>

	<p>Monterad kabelsats för 4 extraljus i Light-Bar eller X-Bar. 14 x 1,5 mm²</p>	<p>97177</p>	<p>1 600,-</p>
	<p>Electric wiring mounted in Top-bar or Light ramp (not for plow lights)</p> <p>For 2 units (4 x 1,5 mm² and 2 x 0,5 mm²) 97173</p> <p>For 4 units (4 x 1,5 mm² and 2 x 0,5 mm²) 97174</p> <p>For 6 units (4 x 1,5 mm² and 2 x 0,5 mm²) 97175</p> <p>Electric wiring, (not mounted)</p> <p>For 2 units 97086</p> <p>For 4 units 97087</p> <p>For 6 units 97088</p>	<p>1 050,-</p> <p>1 600,-</p> <p>2 000,-</p> <p>900,-</p> <p>1 300,-</p> <p>1 500,-</p>	
	<p>Cable with Volvo contact for front Top-Bar (G16-2/4/6) (mounted)</p> <p>For 2 warning lights (needs preparation on truck)</p> <p>Cable to the left 98186</p> <p>Cable to the right 98187</p> <p>For 4 spotlights (needs preparation (SPOTP.R) on truck)</p> <p>Cable to the right 98188</p> <p>Cable with Volvo contact (not mounted)</p> <p>For 2 warning lights (needs preparation on truck) 98086</p> <p>For 4 spotlights (needs preparation (SPOTP.R) on truck) 98088</p>	<p>1 800,-</p> <p>1 800,-</p> <p>2 100,-</p> <p>1 100,-</p> <p>1 400,-</p>	
	<p>Electric wiring mounted in front protections, incl. pin plug and 4 clamps and extensions 97185</p> <p>Electric wiring for front protector, not mounted (excl. clamps and extensions) 98085</p>	<p>3 300,-</p> <p>1 900,-</p>	

  	<p>Hella 3003 spot lights</p> <p>High Boost reflector with the latest lighting technology. Delivered with 24V bulbs.</p> <p>Wide beam with parking light</p> <p>Pencil beam</p> <p>Blue wide beam with parking light</p> <p>Blue pencil beam</p> <p>Wide beam with parking light chrome ring</p> <p>Blue wide beam with parking light chrome ring</p> <p>Wide beam with parking light ref. 50</p> <p>Wide beam with parking light, chrome ring ref. 50</p> <p>Blue wide beam with parking light, ref 50</p> <p>Blue wide beam w. parking light, chrome ring ref 50</p> <p>Wide beam with LED parking light ref. 25</p> <p>Wide beam w. LED parking light, chrome ring ref 25</p>		
   	<p>Flash lamp Hella BST LED yellow</p> <p>Separate</p> <p>Mounted</p> <p>Flash lamp Flextra LED slim yellow</p> <p>Separate</p> <p>Mounted</p>		

	<p>Mounted spot lights, delivered with bulbs and connected wires</p> <p>Hella 3003 wide/parking light</p> <p>Hella 3003 pencilbeam</p> <p>Hella 3003 Blue wide/parking light</p> <p>Hella 3003 Blue pencilbeam</p> <p>Hella 3003 wide/parking light, chrome ring</p> <p>Hella 3003 Blue wide/parking light, chrome ring</p> <p>Hella 3003 ref.50 with parking light</p> <p>Hella 3003 ref.50 with park.light, chrome ring</p> <p>Hella 3003 Blue ref.50 with parking light</p> <p>Hella 3003 Blue ref.50 with park.light, chrome ring</p> <p>Hella 3003 with LED park.light ref.25</p> <p>Hella 3003 with LED park.light ref.25 chrome ring</p>	<p>97139</p> <p>97140</p> <p>97143</p> <p>97144</p> <p>98115</p> <p>98116</p> <p>98130</p> <p>98131</p> <p>98132</p> <p>98133</p> <p>98134</p> <p>98135</p>	<p>1 040,-</p> <p>1 070,-</p> <p>1 230,-</p> <p>1 240,-</p> <p>1 070,-</p> <p>1 260,-</p> <p>990,-</p> <p>1 020,-</p> <p>1 150,-</p> <p>1 190,-</p> <p>1 890,-</p> <p>1 890,-</p>
	<p>LED-light</p> <p>Mounted LED (white, 6000 kelvin) with 3 LED</p> <p>Mounted LED (white, 6000 kelvin) with 5 LED</p> <p>Mounted LED (white, 6000 kelvin) with 7 LED</p> <p>Mounted LED (red) with 3 LED</p> <p>Mounted LED (red) with 5 LED</p> <p>Mounted LED (orange) with 5 LED</p> <p>Mounted LED (orange) with 7 LED</p> <p>Separate cable for 3 LED</p> <p>Separate cable for 5 LED</p> <p>Separate cable for 7 LED</p> <p>Separate LED (white, 3050 – 3250 kelvin)</p> <p>Separate LED (white 6000 kelvin)</p> <p>Separate LED (orange)</p> <p>Separate LED (red)</p>	<p>97193</p> <p>97170</p> <p>97189</p> <p>97194</p> <p>97195</p> <p>97196</p> <p>97197</p> <p>98046</p> <p>97077</p> <p>97085</p> <p>97092</p> <p>97090</p> <p>97093</p> <p>97094</p>	<p>2 200,-</p> <p>2 500,-</p> <p>3 000,-</p> <p>2 200,-</p> <p>2 500,-</p> <p>2 500,-</p> <p>3 000,-</p> <p>900,-</p> <p>930,-</p> <p>990,-</p> <p>230,-</p> <p>230,-</p> <p>230,-</p> <p>230,-</p>

	<p>NBB Alpha 225 LED Spotlights with high-performance diodes.</p> <p>Diam.: 225 mm Weight: 2,5 kg Volt: 10-30 V Watt: 50 W</p> <p>Wide (Ref 50) Pencil</p> <p>Mounted wide (Ref 50) Mounted pencil</p>	<p>98092 98093 98192 98193</p>	<p>3 520,- 3 520,- 3 850,- 3 850,-</p>
	<p>Extension 200 mm For working lights on G16- and G24-series.</p>	<p>15962 Anodized 16962 White powder 17962 Black powder 18962 Sand blasted 19962 Painted</p>	<p>320,- 330,- 330,- 320,- 330,-</p>
	<p>Plow light Hella With full beam, dim light, parking light And side mounted yellow blinker. Complete with connection and bulbs.</p>	<p>98054 Left side 98055 Right side</p>	<p>1 900,- 1 900,-</p>
<p>Cabin ladder</p> 	<p>Cabin ladder separate (L: 2,7 m)</p>	<p>15940</p>	<p>5 000,-</p>



--	--	--	--