

Front protection complete with fittings: Brackets, bolts and tool key



Type HIGHWAY

for S	<i>Airflow</i>	A24-1	39 900,-
for S	<i>Smooth profile</i>	A24-1S	39 900,-
	<i>Mounting kit</i>	80264	
	<i>Mounting kit (for protruding bumper 40 mm)</i>	80265	



Type HIGHWAY

for S and R	<i>Airflow</i>	A24-2	39 900,-
for S and R	<i>Smooth profile</i>	A24-2S	39 900,-
	<i>Mounting kit</i>	80264	
	<i>Mounting kit (for protruding bumper 40 mm)</i>	80265	



Type HIGHWAY

for G and P	<i>Airflow</i>	A24-5	39 900,-
for G and P	<i>Smooth profile</i>	A24-5S	39 900,-
	<i>Mounting kit</i>	80264	
	<i>Mounting kit (for protruding bumper 40 mm)</i>	80265	



Type OFFROAD

for S and R	<i>Airflow</i>	B24-2	33 900,-
for S and R	<i>Smooth profile</i>	B24-2S	33 900,-
	<i>Mounting kit</i>	80225	



Type OFFROAD

for G and P	<i>Airflow</i>	B24-3	33 900,-
for G and P	<i>Smooth profile</i>	B24-3S	33 900,-
	<i>Mounting kit</i>	80225	



Type OFFROAD

for XT (R, G and P)	<i>Airflow</i>	B24-6	33 900,-
for XT (R, G and P)	<i>Smooth profile</i>	B24-6S	33 900,-
	<i>Mounting kit</i>	80226	

Top-Bar with mounting kit



Lights and clamps are not included!

For Highline (C20H)	Airflow	G24-1	6 000,-
with sun visor	Smooth profile	G24-1S	6 000,-



Lights and clamps are not included!

For Highline (C20H)	Airflow	G24-2	5 000,-
with sun visor	Smooth profile	G24-2S	5 000,-

and Normal (C17N and C20N)
with sun visor and without integrated auxiliary lamps



Lights and clamps are not included!

For Day cab (C17L and C20L)	Airflow	G24-3	5 800,-
	Smooth profile	G24-3S	5 800,-



Lights and clamps are not included!

For Highline (C20H)	Airflow	G24-6	5 800,-
	Smooth profile	G24-6S	5 800,-

and Normal (C17N and C20N)
Not for cabs with roof air deflector height 65 cm



Lights and clamps are not included!

For Highline (C20H)	Airflow	G24-7	6 000,-
	Smooth profile	G24-7S	6 000,-

Not for cabs with roof air deflector height 65 cm



Lights and clamps are not included!

For Day cab (C17L and C20L)	Airflow	G24-8	6 000,-
	Smooth profile	G24-8S	6 000,-



Lights and clamps are not included!

For Normal (C20N)	Airflow	G24-9	6 000,-
	Smooth profile	G24-9S	6 000,-

Not for cabs with roof air deflector height 65 cm

Rear Top-Bar with mounting kit *(not together with roof spoiler)*

Image showing sleep cab (G24-4)

For sleep cab (C20N and C17L)

Airflow	G24-4	4 800,-
---------	-------	----------------

Smooth profile	G24-4S	4 800,-
----------------	--------	----------------

For day cab (C17N)

Airflow	G24-5	4 800,-
---------	-------	----------------

Smooth profile	G24-5S	4 800,-
----------------	--------	----------------


Lights and clamps are not included!

 For cabs with
roof air deflector

Airflow	G24-10	5 500,-
---------	--------	----------------

Smooth profile	G24-10S	5 500,-
----------------	---------	----------------

Rear Light-Bar with mounting kit

Lights and clamps are not included!

Airflow	P24-2	5 500,-
---------	-------	----------------

Smooth profile	P24-2S	5 500,-
----------------	--------	----------------

Light-Bar with mounting kit

Lights and clamps are not included!

Airflow	H24-2	5 500,-
---------	-------	----------------

Smooth profile	H24-2S	5 500,-
----------------	--------	----------------

Plow lights mounted on the outer edge of the light-bar should be mounted with an angled extension 15945 (8 °)

Light-Bar high with mounting kit

Lights and clamps are not included!

Airflow	H24-5	6 100,-
---------	-------	----------------

Smooth profile	H24-5S	6 100,-
----------------	--------	----------------

X-Bar high with mounting kit


Lights and clamps are not included!

<i>Airflow</i>	H24-4	4 300,-
<i>Smooth profile</i>	H24-4S	4 300,-

X-Bar with mounting kit



Lights and clamps are not included!

<i>Airflow</i>	H24-3	4 300,-
<i>Smooth profile</i>	H24-3S	4 300,-

U-Bar with mounting kit


For **low** bumper

<i>Airflow</i>	L24-2	5 000,-
<i>Smooth profile</i>	L24-2S	5 000,-

Sidelineer

Total length/ side 0 – 2500 mm

<i>Airflow</i>	S-1A	3 600,-
<i>Smooth profile</i>	S-1S	3 600,-

Total length/ side 2501 – 5000 mm

<i>Airflow</i>	S-2A	4 300,-
<i>Smooth profile</i>	S-2S	4 300,-

Airflow clamp		15903	330,-
Clamp (for smooth profile)		15902	270,-
Airflow extension		15923	100,-
Extension		15912	100,-
Angled extension for beacon	5° (to G24-2)	15961	120,-
	8° (to G24-6, G24-7 and H24-2)	15945	120,-
	17° (to G24-1)	15946	120,-
Mounting plate for beacon	Ø 150 mm	15915	220,-
	Ø 165 mm	15917	230,-
	Ø 240 mm	15916	260,-
Universal fitting for roof signs / roof light bars		20409	460,-
Mounting plate for Hella Luminator		15907	190,-
Catwalk , with brackets		15935	2 800,-

AIRFLOW

These products are supplied in our new AIRFLOW profile as standard.
The new generation aerodynamic accessories are designed for the highest performance.
On request, we can also supply the products in the traditional "smooth" profile.



FINISH

As standard the accessories are supplied **anodized** in silver color.
Products can also be supplied **sand blasted** for your own lacquering, no additional charge,
or **powder coated** in black or white color or **lacquered** in your own personal color, ask us for a quote.

Brackets comes standard powder coated black, but is possible to get painted in the same color as the front protection

Note! Catwalks come anodized only.

PRICES: All prices are in **SEK** and are subject to VAT and ex works Färila (Sweden)

We reserve the rights to technical or price changes without prior notice

FURTHER INFORMATION about our accessories for mounting of, for example, lights can be found in our folder

"Accessories"