

DAF XF/CF



TRUX®

Always in the frontline

Trux Top-Bar G62-5
Trux Highway A62-1



DAF XF Super Space Cab



Trux Top-Bar G62-5



Trux X-Light K63-3

Trux Top-Bar G63-5
Trux Offroad B62-1



DAF CF Space Cab



Trux Highway A62-1



Trux X-Light K63-3

PRODUCT RANGE

A61-2

Highway

Estimated fitting time:
1 hour
Overhang of vehicle:
230 mm
Weight: 48 kg



B62-1

Offroad

Estimated fitting time:
1 hour
Overhang of vehicle:
230 mm
Weight: 35 kg



G62-5

Top-Bar

Fits:
XF Super
Space cab

Estimated fitting time:
1 hour
Weight: 6,5 kg



G63-5

Top-Bar

Fits:
CF Space cab

Estimated fitting time:
1 hour
Weight: 4 kg



G63-6

Top-Bar

Fits:
XF Space cab

Estimated fitting time:
1 hour
Weight: 4,5 kg



K63-3

X-Light

Estimated fitting time:
1 hour
Overhang of vehicle:
140 mm
Weight: 7,5 kg



FITTING TIME IS EXCLUDING WIRING. THE WEIGHTS INDICATED ARE FOR THE BAR ONLY - EXCLUDES ACCESSORIES



AIRFLOW

Trux products are supplied as standard in the unique Airflow design but is also available in plain smooth profile.



PAINTED AND READY

All Trux products can be supplied in any colour and even special colors such as Pearl- and metallic lacquer.



MADE IN SWEDEN

All Trux products are made in Sweden, but no matter where in the world you are - they always protect your trucks fragile parts.

Trux®
Always in the frontline