









| | | | |
|---|---|---|--|
|  | <p>Airflow Clamp A designed clamp that belongs in our Airflow-series. It consists of two parts that are connected and squeezed together with a screw. Allows flexibility when mounting different accessories. 1 pc conduit entry is delivered with each clamp.</p> <p>Weight: 0,25 kg Material: Aluminum</p> | <p>15903 Anodized</p> <p>16903 White powder</p> <p>17903 Black powder</p> <p>18903 Sand blasted</p> <p>19903 Painted</p> | |
|  | <p>AF Extension Extension suitable for the AF Clamp design. To be used in cases when the accessory is to be mounted further away from – or sideways from the clamps location.</p> <p>Weight: 0,20 kg Material: Aluminum</p> | <p>15923 Anodized</p> <p>16923 White powder</p> <p>17923 Black powder</p> <p>18923 Sand blasted</p> <p>19923 Painted</p> | |
|  | <p>Mounting plate for beacons in 3 different sizes Material: Aluminium</p> <p>A = 150 mm B = 107 mm</p> <p>Weight: 0,25 kg</p> | <p>15915 Anodized</p> <p>16915 White powder</p> <p>17915 Black powder</p> <p>18915 Sand blasted</p> <p>19915 Painted</p> | |
| | <p>A = 170 mm B = 130 mm</p> <p>Weight: 0,35 kg</p> | <p>15917 Anodized</p> <p>16917 White powder</p> <p>17917 Black powder</p> <p>18917 Sand blasted</p> <p>19917 Painted</p> | |
| | <p>A = 240 mm B = 200 mm</p> <p>Weight: 0,65 kg</p> | <p>15916 Anodized</p> <p>16916 White powder</p> <p>17916 Black powder</p> <p>18916 Sand blasted</p> <p>19916 Painted</p> | |

| | | | |
|---|---|---|--|
|  | <p>Clamp Consist of two parts that are connected and squeezed together with a screw. Allows flexibility when mounting different accessories. 1 pc conduit entry is delivered with each clamp.</p> <p>Weight: 0,25 kg Material: Aluminium</p> | <p>15902 Anodized</p> <p>16902 White powder</p> <p>17902 Black powder</p> <p>18902 Sand blasted</p> <p>19902 Painted</p> | |
|  | <p>Extension To be used in cases when the accessory is to be mounted further away from – or sideways from the clamps location.</p> <p>Weight: 0,15 kg Material: Aluminum</p> | <p>15912 Anodized</p> <p>16912 White powder</p> <p>17912 Black powder</p> <p>18912 Sand blasted</p> <p>19912 Painted</p> | |
|  | <p>Clamp 20 mm Consist of two parts that are connected and squeezed together with a screw. Allows flexibility when mounting different accessories.</p> <p>Weight: 0,15 kg Material: Aluminum</p> | <p>15956 Anodized</p> <p>18956 Sand blasted</p> <p>19956 Painted</p> | |
|  | <p>Mounting plate For mounting of Hella Luminator in X-Light bars. Makes the spotlights glass to be in level with the X-light bar.</p> <p>Weight: 0,10 kg Material: Aluminium</p> | <p>15907 Anodized</p> <p>16907 White powder</p> <p>18907 Sand blasted</p> <p>19907 Painted</p> | |



Angled extension

For mounting warning beacons on Top-bars. The four holes give you many choices for the best location of the beacon.

Weight: 0,15 kg

Material: Aluminum

Angled 5°

15961
Anodized

16961
White powder

17961
Black powder

18961
Sand blasted

19961
Painted

Angled 8°

15945
Anodized

16945
White powder

17945
Black powder

18945
Sand blasted

19945
Painted

Angled 17°

15946
Anodized

16946
White powder

17946
Black powder

18946
Sand blasted

19946
Painted

Angled 29°

15952
Anodized

16952
White powder

17952
Black powder

18952
Sand blasted

19952
Painted

Angled 50°





15947
Anodized





16947
White powder








17947
Black powder



18947
Sand blasted

19947
Painted

| | | | |
|---|--|--|--|
|  | <p>Universal fitting For roof signs / light bars</p> <p>Delivered in a set of two brackets and screws.</p> <p>Weight: 0,60 kg Material: Aluminum</p> | <p>20409 Anodized black</p> | |
|  | <p>Bracket for accessories To be fitted on Scania 4-, R-, G-, P- and T-series roof rails.</p> <p>Weight: 0,30 kg Material: Aluminum</p> | <p>17920 Black powder</p> | |
|  | <p>Elevation set for roof sign For Scania C19N cabin.</p> <p><i>Delivered in a set of two brackets with screws and distances.</i></p> <p>Weight: 1,20 kg Material: Aluminum</p> <p>Note! Excl. Clamps!</p> | <p>17921 Black powder</p> | |
|  | <p>Rotation beacon Hella KL-Rotafix Fits mounting plate 170 mm Delivered incl. 24V bulb</p> | <p>97016</p> | |

| | | | |
|---|--|---|--|
|  | <p>Monterad kabelsats för 4 extraljus i Light-Bar eller X-Bar. 14 x 1,5 mm²</p> | <p>97177</p> | |
|  | <p>Electric wiring mounted in Top-bar or Light ramp (not for plow lights)</p> <p>For 2 units (4 x 1,5 mm² and 2 x 0,5 mm²)</p> <p>For 4 units (4 x 1,5 mm² and 2 x 0,5 mm²)</p> <p>For 6 units (4 x 1,5 mm² and 2 x 0,5 mm²)</p> <p>Electric wiring, (not mounted)</p> <p>For 2 units</p> <p>For 4 units</p> <p>For 6 units</p> | <p>97173</p> <p>97174</p> <p>97175</p> <p>97086</p> <p>97087</p> <p>97088</p> | |
|  | <p>Cable with Volvo contact for front Top-Bar (G16-2/4/6) (mounted)</p> <p>For 2 warning lights (needs preparation on truck)</p> <p>Cable to the left</p> <p>Cable to the right</p> <p>For 4 spotlights (needs preparation (SPOTP.R) on truck)</p> <p>Cable to the right</p> <p>Cable with Volvo contact (not mounted)</p> <p>For 2 warning lights (needs preparation on truck)</p> <p>For 4 spotlights (needs preparation (SPOTP.R) on truck)</p> | <p>98186</p> <p>98187</p> <p>98188</p> <p>98086</p> <p>98088</p> | |
|  | <p>Electric wiring mounted in front protections, incl. pin plug and 4 clamps and extensions</p> <p>Electric wiring for front protector, not mounted (excl. clamps and extensions)</p> | <p>97185</p> <p>98085</p> | |

| | | | |
|---|--|--|--|
|    | <p>Hella 3003 spot lights</p> <p>High Boost reflector with the latest lighting technology. Delivered with 24V bulbs.</p> <p>Wide beam with parking light 97039</p> <p>Pencil beam 97040</p> <p>Blue wide beam with parking light 97043</p> <p>Blue pencil beam 97044</p> <p>Wide beam with parking light chrome ring 98015</p> <p>Blue wide beam with parking light chrome ring 98016</p> <p>Wide beam with parking light ref. 50 98030</p> <p>Wide beam with parking light, chrome ring ref. 50 98031</p> <p>Blue wide beam with parking light, ref 50 98032</p> <p>Blue wide beam w. parking light, chrome ring ref 50 98033</p> <p>Wide beam with LED parking light ref. 25 98034</p> <p>Wide beam w. LED parking light, chrome ring ref 25 98035</p> | | |
|     | <p>Flash lamp Hella BST LED yellow</p> <p>Separate 98044</p> <p>Mounted 98144</p> <p>Flash lamp Flextra LED slim yellow</p> <p>Separate 98050</p> <p>Mounted 98150</p> | | |

| | | | |
|---|--|--|--|
|  | <p>Mounted spot lights, delivered with bulbs and connected wires</p> <p>Hella 3003 wide/parking light 97139</p> <p>Hella 3003 pencilbeam 97140</p> <p>Hella 3003 Blue wide/parking light 97143</p> <p>Hella 3003 Blue pencilbeam 97144</p> <p>Hella 3003 wide/parking light, chrome ring 98115</p> <p>Hella 3003 Blue wide/parking light, chrome ring 98116</p> <p>Hella 3003 ref.50 with parking light 98130</p> <p>Hella 3003 ref.50 with park.light, chrome ring 98131</p> <p>Hella 3003 Blue ref.50 with parking light 98132</p> <p>Hella 3003 Blue ref.50 with park.light, chrome ring 98133</p> <p>Hella 3003 with LED park.light ref.25 98134</p> <p>Hella 3003 with LED park.light ref.25 chrome ring 98135</p> | | |
|  | <p>LED-light</p> <p>Mounted LED (<i>white 6000 kelvin</i>) with 3 LED 97193</p> <p>Mounted LED (<i>white 6000 kelvin</i>) with 5 LED 97170</p> <p>Mounted LED (<i>5 white 6000k + 2 orange</i>) with 7 LED 97189</p> <p>Mounted LED (<i>red</i>) with 3 LED 97194</p> <p>Mounted LED (<i>red</i>) with 5 LED 97195</p> <p>Mounted LED (<i>orange</i>) with 5 LED 97196</p> <p>Mounted LED (<i>orange</i>) with 7 LED 97197</p> <p>Separate cable for 3 LED 98046</p> <p>Separate cable for 5 LED 97077</p> <p>Separate cable for 7 LED 97085</p> <p>Separate LED (<i>white, 3050 – 3250 kelvin</i>) 97092</p> <p>Separate LED (<i>white 6000 kelvin</i>) 97090</p> <p>Separate LED (<i>orange</i>) 97093</p> <p>Separate LED (<i>red</i>) 97094</p> | | |

| | | | |
|--|---|--|--|
|  | <p>NBB Alpha 225 LED Spotlights with high-performance diodes.</p> <p>Diam.: 225 mm Weight: 2,5 kg Volt: 10-30 V Watt: 50 W</p> <p>Wide (Ref 50) Pencil</p> <p>Mounted wide (Ref 50) Mounted pencil</p> | <p>98092 98093 98192 98193</p> | |
| | <p>Extension 200 mm For working lights on G16- and G24-series.</p> | <p>15962 Anodized</p> <p>16962 White powder</p> <p>17962 Black powder</p> <p>18962 Sand blasted</p> <p>19962 Painted</p> | |
|  | <p>Plow light Hella With full beam, dim light, parking light And side mounted yellow blinker. Complete with connection and bulbs.</p> | <p>98054 Left side</p> <p>98055 Right side</p> | |
| <p>Cabin ladder</p>  | <p>Cabin ladder separate (L: 2,7 m)</p> | <p>15940</p> | |