

**Front protection complete with fittings: Brackets, bolts and tool key**



**Type HIGHWAY**

for S	<i>Airflow</i>	A24-1
for S	<i>Smooth profile</i>	A24-1S
<i>Mounting kit</i>		80264
<i>Mounting kit (for protruding bumper 40 mm)</i>		80265



**Type HIGHWAY**

for S and R	<i>Airflow</i>	A24-2
for S and R	<i>Smooth profile</i>	A24-2S
<i>Mounting kit</i>		80264
<i>Mounting kit (for protruding bumper 40 mm)</i>		80265



**Type HIGHWAY**

for G and P	<i>Airflow</i>	A24-5
for G and P	<i>Smooth profile</i>	A24-5S
<i>Mounting kit</i>		80264
<i>Mounting kit (for protruding bumper 40 mm)</i>		80265



**Type OFFROAD**

for S and R	<i>Airflow</i>	B24-2
for S and R	<i>Smooth profile</i>	B24-2S
<i>Mounting kit</i>		80225



**Type OFFROAD**

for G and P	<i>Airflow</i>	B24-3
for G and P	<i>Smooth profile</i>	B24-3S
<i>Mounting kit</i>		80225



**Type OFFROAD**

for XT (R, G and P)	<i>Airflow</i>	B24-6
for XT (R, G and P)	<i>Smooth profile</i>	B24-6S
<i>Mounting kit</i>		80226

**Top-Bar with mounting kit**



Lights and clamps are not included!

For Highline (C20H)	Airflow	G24-1
with sun visor	Smooth profile	G24-1S



Lights and clamps are not included!

For Highline (C20H)	Airflow	G24-2
with sun visor	Smooth profile	G24-2S

and Normal (C17N and C20N)  
with sun visor and without integrated auxiliary lamps



Lights and clamps are not included!

For Day cab (C17L and C20L)	Airflow	G24-3
	Smooth profile	G24-3S



Lights and clamps are not included!

For Highline (C20H)	Airflow	G24-6
	Smooth profile	G24-6S

and Normal (C17N and C20N)  
Not for cabs with roof air deflector height 65 cm



Lights and clamps are not included!

For Highline (C20H)	Airflow	G24-7
	Smooth profile	G24-7S

Not for cabs with roof air deflector height 65 cm



Lights and clamps are not included!

For Highline (C20H)	Airflow	G24-12
	Smooth profile	G24-12S

Not for cabs with roof air deflector height 65 cm



Lights and clamps are not included!

For Day cab (C17L and C20L)	Airflow	G24-8
	Smooth profile	G24-8S



Lights and clamps are not included!

For Normal (C20N)	Airflow	G24-9
	Smooth profile	G24-9S

Not for cabs with roof air deflector height 65 cm

**Rear Top-Bar with mounting kit** (not together with roof spoiler)



Image showing sleep cab (G24-4)

For sleep cab (C20N and C17L)	Airflow	G24-4
	Smooth profile	G24-4S

For day cab (C17N)	Airflow	G24-5
	Smooth profile	G24-5S



Lights and clamps are not included!

For cabs with roof air deflector	Airflow	G24-10
	Smooth profile	G24-10S

**Rear Light-Bar with mounting kit**



Lights and clamps are not included!

Airflow	P24-2
Smooth profile	P24-2S

**Light-Bar with mounting kit**



Lights and clamps are not included!

Airflow	H24-2
Smooth profile	H24-2S

Plow lights mounted on the outer edge of the light-bar should be mounted with an angled extension 15945 (8 °)

**Light-Bar high with mounting kit**



Lights and clamps are not included!

Airflow	H24-5
Smooth profile	H24-5S

**X-Bar high with mounting kit**



Lights and clamps are not included!

Airflow	H24-4
Smooth profile	H24-4S

**X-Bar with mounting kit**



Lights and clamps are not included!

Airflow	H24-3
Smooth profile	H24-3S


**U-Bar with mounting kit**



For **low** and  
**high** bumper

Airflow	L24-2
Smooth profile	L24-2S

## Sidelineer



### Total length/ side 0 – 2500 mm

Airflow S-1A  
Smooth profile S-1S

### Total length/ side 2501 – 5000 mm

Airflow S-2A  
Smooth profile S-2S

<b>Airflow clamp</b>		15903
<b>Clamp</b> (for smooth profile)		15902
<b>Airflow extension</b>		15923
<b>Extension</b>		15912
<b>Angled extension</b> for beacon	5° (to G24-2)	15961
	8° (to G24-6, G24-7 and H24-2)	15945
	17° (to G24-1)	15946
<b>Mounting plate</b> for beacon	Ø 150 mm	15915
	Ø 165 mm	15917
	Ø 240 mm	15916
<b>Universal fitting</b> for roof signs / roof light bars		20409
<b>Mounting plate</b> for Hella Luminator		15907
<b>Catwalk</b> , with brackets		15935

## AIRFLOW

These products are supplied in our new AIRFLOW profile as standard.  
The new generation aerodynamic accessories are designed for the highest performance.  
On request, we can also supply the products in the traditional "smooth" profile.



## FINISH

As standard the accessories are supplied **anodized** in silver color.  
Products can also be supplied **sand blasted** for your own lacquering, no additional charge,  
or **powder coated** in black or white color or **lacquered** in your own personal color, ask us for a quote.

**Brackets** comes standard powder coated black, but is possible to get painted in the same color as the front protection

**Note!** Catwalks come anodized only.

**FURTHER INFORMATION** about our accessories for mounting of, for example, lights can be found in our folder  
**"Accessories"**