







## **PRODUCT RANGE**

A75-2

Highway

Fits: Truck with plastic bumper

Monteringstid: 1 tim Utstick från fordon: 270 mm Vikt: 43 kg



B74-2

Offroad

Fits: Kipper Estimated fitting time:

1 hour Overhang of vehicle: 200 mm Weight: 31 kg



G73-3

Top-Bar

Fits: TM cab 0,5 hour



G73-4

Top-Bar

Fits: Estimated fitting time: 0,5 hour NN and TN cab

Weight: 6 kg



G73-7

Rear Top-Bar

Estimated fitting time: 0,5 hour Weight: 4 kg



E73-4

Fits:

TN cab

Spacing tube

Estimated fitting time: 0.5 hour Weight: 5 kg



H75-2

Light-Bar

Sideliner

Estimated fitting time: 1 hour Overhang of vehicle: Weight: 3,5 kg



S-1

0-2 500 mm

S-2

2 501-5 000 mm

Order to size required up to 2.5 metres per length

15935

Catwalk

Can be mounted together with some roof mounting.





FITTING TIME IS EXCLUDING WIRING. THE WEIGHTS INDICATED ARE FOR THE BAR ONLY - EXCLUDES ACCESSORIES



## **AIRFLOW**

Trux products are supplied as standard in the unique Airflow design but is also available in plain smooth profile.



## **PAINTED AND READY**

All Trux products can be supplied in any colour and even special colors such as Pearl- and metallic lacquer.



## **MADE IN SWEDEN**

All Trux products are made in Sweden, but no matter where in the world you are - they always protect your trucks fragile parts.

