

DAF



TRUX[®]

Always in the frontline

Trux Top-Bar G62-6
Trux Highway A62-1



DAF XF



Trux Top-Bar G62-6



Trux rear Light-Bar P62-2
Mounted high

Trux Offroad B62-1
Trux U-Bar L62-2



Trux rear Light-Bar P62-2
Mounted low



Trux Sideline S-1

Trux Top-Bar C62-6
Trux Highway A62-1




DAF XG



Trux rear Light-Bar P62-2

Trux Offroad B62-1
Trux U-Bar L62-2



Trux Sideliner S1-1

Trux Top-Bar G62-7
Trux Highway A62-1




DAF XG+



Trux rear Light-Bar P62-2

Trux Offroad B62-1
Trux U-Bar L62-2



Trux Sideline S1-1

PRODUCT RANGE

A62-1

Highway

Estimated fitting time:
1 hour
Overhang of vehicle:
230 mm
Weight: 48 kg



B62-1

Offroad

Estimated fitting time:
1 hour
Overhang of vehicle:
230 mm
Weight: 35 kg



G62-6

Fits:
XF and XC

Top-Bar

Estimated fitting time:
0,5 hour
Weight: 3,5 kg



G62-7

Fits:
XG+

Top-Bar

Estimated fitting time:
0,5 hour
Weight: 3,5 kg



P62-2

Rear Light-Bar

Estimated fitting time:
0,5 hour
Weight: 2,8 kg



L62-2

U-Bar

Estimated fitting time:
0,5 hour
Weight: 6 kg



S-1

0-2 500 mm

S-2

2 501-5 000 mm

Sideline

Order to size required
up to 2,5 metres per
length



FITTING TIME IS EXCLUDING WIRING. THE WEIGHTS INDICATED ARE FOR THE BAR ONLY - EXCLUDES ACCESSORIES



AIRFLOW

Trux products are supplied as standard in the unique Airflow design but is also available in plain smooth profile.



PAINTED AND READY

All Trux products can be supplied in any colour and even special colors such as Pearl- and metallic lacquer.



MADE IN SWEDEN

All Trux products are made in Sweden, but no matter where in the world you are - they always protect your trucks fragile parts.

Trux®
Always in the frontline