

January 2024


## Front protection complete with fittings: Brackets, bolts and tool key



Type HIGHWAY			
	Airflow	A23-2	43 500,-
	Smooth profile	A23-2S	43 500,-
Mounting kit			
Low bumper / normal chas	ssis	80262	
Low bumper / wide chassi	S	80260	
Type HIGHWAY			
	Airflow	A23-3	43 500,-
	Smooth profile	A23-3S	43 500,-
Mounting kit		80262	
Low bumper / normal chas Low bumper / wide chassi		80262	
High bumper / normal and		80261	
Type OFFROAD for low	bumper <i>Airflow</i>	B23-2	36 900,-
		-	
Mounting kit	Smooth profile	B23-2S	36 900,-
Low bumper / normal chas	ssis	80219	
Low bumper / wide chassi	S	80218	
Type OFFROAD for low	bumper Airflow	B23-3	36 900,-
Mounting kit	Smooth profile	B23-3S	36 900,-
Low bumper / normal chas	ssis	80219	
Low bumper / wide chassi	S	80218	
Type OFFROAD for high	n bumper		
	Airflow	B23-5	36 900,-
Mounting kit	Smooth profile	B23-5S	36 900,-
High bumper / normal and		80217	
50 mm protruding bumper		80222	
50 mm protruding bumper	/ normal chassis	80223	



January 2024





X-Bar with mounting kit Airflow H23-3 4 700, Smooth profile H23-35 4 700, Smooth profile L20-28 240, Mounting kit for wide with high bumper 20529 240, Smooth profile L23-25 5 600, Smooth profile L3-25 4 000, Smooth profile S-1A 4 000, Smooth profile S-1A 4 000, Smooth profile S-1A 4 000, Smooth profile S-2A 4 800, Smooth profile S-2S	lways in the frontline		Fage 3 01:	ں ر	
Smooth profile H23-35 4 700,   Mounting kit for wide with low bumper 20528 240,   Mounting kit for wide with high bumper 20529 240,   Website and clamps are not included! U-Bar with mounting kit (can't be combined with front protection) Image: Canobian and the state and th	X-Bar with mounting kit				
For high / low bumper   Airflow   L23-2   5 600, Smooth profile   L23-25   5 600,     Sideliner   Total length / side 0 – 2500 mm   Airflow   S-1A   4 000, Smooth profile   S-15   4 000, Smooth profile   S-15   4 000, Smooth profile   S-15   4 000, Smooth profile   S-25   4 800, Smooth profile   S-25   4 800, Smooth profile   S-25   4 800, Smooth profile   S-25   4 800,	Eights and clamps are not included!		Smooth profile v bumper	H23-3S 20528	<b>4 700,</b> 240,
Smooth profile L23-2S 5 600,   Sideliner Total length / side 0 – 2500 mm Airflow S-1A 4 000,   Smooth profile S-1S 4 000, Smooth profile S-1S 4 000,   Total length / side 2501 – 5000 mm Total length / side 2501 – 5000 mm Total length / side 2501 – 5000 mm 4 000,   Smooth profile S-1S 4 000, Smooth profile S-2A 4 800,	U-Bar with mounting kit (can't be comb	bined with front protection)			
Total length / side 0 – 2500 mm     Airflow   S-1A   4 000,     Smooth profile   S-1S   4 000,     Total length / side 2501 – 5000 mm   Total length / side 2501 – 5000 mm     Airflow   S-2A   4 800,     Smooth profile   S-2S   4 800,		For <b>high / low</b> bumper			
Smooth profile   S-1S   4 000,     Total length / side 2501 – 5000 mm   Airflow   S-2A   4 800,     Smooth profile   S-2S   4 800,	Sideliner	Total length / side 0 – 2500	) mm		
Total length / side 2501 – 5000 mm     Airflow   S-2A   4 800,     Smooth profile   S-2S   4 800,					
Airflow   S-2A   4 800,     Smooth profile   S-2S   4 800,			Smooth profile	S-1S	4 000,
Airflow   S-2A   4 800     Smooth profile   S-2S   4 800		Total length / side 2501 –	5000 mm		
Smooth profile S-2S 4 800				S-2A	4 800
		, ,	Smooth profile	S-2S	



ways in the from				
			2-10	
		7		
		5		
Pos. 1	Top-Bar, with mounting kit for C16L and C19L	Airflow	G23-1	5 900,-
		Smooth profile	G23-1S	5 900,-
	for C19N	Airflow	G23-2	5 900,-
		Smooth profile	G23-2S	5 900,-
	for C19H	Airflow	G23-6	5 900,-
		Smooth profile	G23-6S	5 900,-
	for C19T	Airflow	G23-3	5 900,-
		Smooth profile	G23-3S	5 00,-
Pos. 2	Top-Bar, high model (for example for C19T	e. roof light signs) with mounting kit Airflow Smooth profile	G23-7 G23-7S	Expired! Expired!
Pos. 3	Rear Top-Bar, with mounting kit			= 100
	for C16L and C19L	Airflow Smooth profile	G23-5 G23-5S	5 100,- 5 100,-
	for C19N and C19H	Airflow	G23-4	5 100,-
		Smooth profile	G23-4S	5 100,- 5 100,-
Pos. 4	Catwalk with fittings		15938	3 700,-
Pos. 5	Airflow clamp		15903	350,-
	Clamp (for smooth profile)		15902	290,-
Pos. 6	Airflow extension		15923	120,-
	Extension		15912	120,-
Pos. 7	Angled extension for beacon	8° (G23-1)	15945	140,-
		17° <i>(</i> G23-2)	15946	140,-
		50° (G23-6 and G23-3)	15947	140,-
Pos. 8	Mounting plate for beacon	Ø 150 mm	15915	240,-
		Ø 165 mm Ø 240 mm	15917 15016	250,- 280 -
Dec. 0		Ø 240 mm	15916	280,- 900 -
Pos. 9	Mounting bracket for accessories t	-	17920	900,- 520
Pos. 10	Universal fitting for roof signs / roo	t light bars	20409	530,-



## AIRFLOW

These products are supplied in our AIRFLOW profile as standard. The new generation aerodynamic accessories are designed for the highest performance. On request, we can also supply the products in the traditional "smooth" profile.



## FINISH

As standard the accessories are supplied **anodized** in silver color. Products can also be supplied **sand blasted** for your own lacquering, no additional charge, or **powder coated** in black or white color or **lacquered** in your own personal color, ask us for a quote.

**Brackets** comes standard powder coated black, but is possible to get painted in the same color as the front protection

Note! Catwalks come anodized only.

PRICES: All prices are in SEK and are subject to VAT and ex works Färila (Sweden)

We reserve the rights to technical or price changes without prior notice

FURTHER INFORMATION about our accessories for mounting of, for example, lights can be found in our folder

"Accessories"

