


$\label{eq:Front protection complete with fittings: Brackets, bolts and tool key$ Type **OFFROAD** 32 600,-B13-6 Airflow 32 600,-Smooth profile B13-6S Mounting kit 80118 Light-Bar with mounting kit 6 000,-H13-6 Airflow Lights and clamps are not included!



Page 2 of 3





surays in the frontune			
Sideliner			
	n / side 0 – 2500 mm _{Airflow}	S-1A	4 000,·
	Smooth pr		4 000, [.] 4 000, [.]
			,
Total lengt	h / side 2501 – 5000 mm		
Total lenght	Airflow	S-2A	4 800,-
	Smooth pro	ofile S-2S	4 800,-
AIRFLOW			
These products are supplied in our AIRFLOW profile as sta			
The new generation aerodynamic accessories are designe On request, we can also supply the products in the tradition		ince.	
On request, we can also supply the products in the tradition	la shooti prome.		AIRFLO
FINISH			
As standard the accessories are supplied anodized in silve	er color.		
Products can also be supplied sand blasted for your own or powder coated in black or white color or lacquered in y			ote.
Brackets comes standard powder coated black, but is pos the front protection	sible to get painted in the	same color as	
Note! Catwalks come anodized only.			
PRICES: All prices are in SEK and are subject to VAT and	ex works Färila (Sweden)	
We reserve the rights to technical or price changes without prior notice	· · · · ·		
ου το			
FURTHER INFORMATION about our accessories for mountin	g of, for example, lights can	be found in our f	older
"Accessor	ies"		
	®		
5770			

