


ckets, bolts and tool key			
Type OFFROAD	Airflow Smooth profile Mounting kit	B13-6 B13-6S 80118	32 600,- 32 600,-
	Airflow	H13-6	6 000,-
-	Type OFFROAD	Type OFFROAD Airflow Smooth profile Mounting kit	Type OFFROADAirflowB13-6Smooth profileB13-6SMounting kit80118







Sideliner			
Total len	gth / side 0 – 2500 mm		4
	Airflow	S-1A	4 000,
	Smooth profile	S-1S	4 000,
	gth / side 2501 – 5000 mm		
Total len	Airflow	S-2A	4 800,
Total lenght	Smooth profile	S-2S	4 800,
	enteent prome	0 20	,
AIRFLOW			
These products are supplied in our AIRFLOW profile as The new generation aerodynamic accessories are desig			
On request, we can also supply the products in the tradit		<i>.</i>	AIRFU
FINISH			
As standard the accessories are supplied anodized in s			
Products can also be supplied sand blasted for your ow or powder coated in black or white color or lacquered i			te.
Breakste somes standard nouder sected black, but is n	essible to get pointed in the ear		
Brackets comes standard powder coated black, but is p the front protection	ossible to get painted in the sar	ne color as	
Netel Cotwolke come enedized only			
Note! Catwalks come anodized only.			
PRICES: All prices are in SEK and are subject to VAT a	nd ex works Färila (Sweden)		
We reserve the rights to technical or price changes without prior notice	9		
FURTHER INFORMATION about our accessories for mour	nting of, for example, lights can be f	ound in our f	older
"Access	ories"		

Always in the frontline ⊕ www.trux.eu ⊠ info@trux.se → +46 (0)10-483 89 90