

# Front protection complete with fittings: Brackets, bolts and tool key



## Typ Highway

Airflow A62-1 Smooth profile A62-1S

Mounting kit 80655



## Typ Offroad

Airflow B62-1

Smooth profile B62-1S

Mounting kit 80610

#### Top-Bar, with mounting kit



For XF, XG and Airflow G62-6
XD sleeper high cab Smooth profile G62-6S



For **XG+** Airflow G62-7

Smooth profile G62-7S



## Rear Top-Bar, with mounting kit



Airflow P62-2 Smooth profile P62-2S

	Mounting	pla	ate	for	beacon
--	----------	-----	-----	-----	--------

Mounting plate for beacon		
	Ø 150 mm	15915
	Ø 165 mm	15917
	Ø 240 mm	15916
Clamp (for smooth profile)		15902
Airflow clamp		15903
Extension		15912
Airflow extension		15923
Angled extensio for beacons	<b>17°</b> (for G62-6)	15961
	<b>29°</b> (for G62-7)	15945
Universal fitting for roof signs / roof light bars		20409

## U-Bar, with mounting kit



For **XF**, **XG** and **XG+** Airflow L62-2
With normal bumper Smooth profile L62-2S

#### Sideliner



#### Total length / side 0 - 2500 mm

Airflow S-1A Smooth profile S-1S

Total length / side 2501 - 5000 mm

Airflow S-2A Smooth profile S-2S



Always in the frontline
FINISH  As standard the accessories are supplied anodized in silver color.  Products can also be supplied sand blasted for your own lacquering, no additional charge, or powder coated in black or white color or lacquered in your own personal color, ask us for a quote.
Brackets comes standard powder coated black, but is possible to get painted in the same color as the front protection
PRICES: All prices are in SEK and are subject to VAT and ex works Färila (Sweden)
We reserve the rights to technical or price changes without prior notice
FURTHER INFORMATION about our accessories for mounting of, for example, lights can be found in our folder "Accessories"

