

MAN TGS



Trux[®]
Always in the frontline

Trux Offroad B74-2



Trux Top-Bar G73-4

Trux Light-Bar H75-2



Trux rear Top-Bar G73-6

PRODUCT RANGE

A75-2

Highway

Fits:
Truck with
plastic bumper

Monteringstid:
1 tim
Utstick från fordon:
270 mm
Vikt: 43 kg



B74-2

Offroad

Fits: Kipper

Estimated fitting time:
1 hour
Overhang of vehicle:
200 mm
Weight: 31 kg



G73-3

Top-Bar

Fits:
TM cab

Estimated fitting time:
0,5 hour
Weight: 6 kg



G73-4

Top-Bar

Fits:
NN and TN cab

Estimated fitting time:
0,5 hour
Weight: 6 kg



G73-7

Rear Top-Bar

Estimated fitting time:
0,5 hour
Weight: 4 kg



E73-4

Spacing tube

Fits:
TN cab

Estimated fitting time:
0,5 hour
Weight: 5 kg



H75-2

Light-Bar

Estimated fitting time:
1 hour
Overhang of vehicle:
120 mm
Weight: 3,5 kg



S-1

Sideline

0-2 500 mm

Order to size required
up to 2,5 metres per
length

S-2

2 501-5 000 mm



15935

Catwalk

Can be mounted
together with some roof
mounting.



FITTING TIME IS EXCLUDING WIRING. THE WEIGHTS INDICATED ARE FOR THE BAR ONLY – EXCLUDES ACCESSORIES



AIRFLOW

Trux products are supplied as standard in the unique Airflow design but is also available in plain smooth profile.



PAINTED AND READY

All Trux products can be supplied in any colour and even special colors such as Pearl- and metallic lacquer.



MADE IN SWEDEN

All Trux products are made in Sweden, but no matter where in the world you are – they always protect your trucks fragile parts.

Trux®

Always in the frontline