

MAN TGX

MANUFACTURED FROM ALUMINUM FOR LOW WEIGHT · UNIQUE DESIGN WITH AIRFLOW-PROFILE · PRE-PAINTED FROM THE FACTORY

Realways in the frontline





PRODUCT RANGE

A75-1	Highway Estimated fitting time: Ihour Overhang of vehicle: 260 mm Weight: 50 kg	Ê	G73-6 Fits: GN cab	Rear Top-Bar Estimated fitting time: 0,5 hour Weight: 4 kg	5
B74-1 Fits: Kipper	Offroad Estimated fitting time: 1 hour Overhang of vehicle: 260 mm Weight: 42,5 kg		E73-2 Fits: GN cab	Spacing tube Estimated fitting time: 0,5 hour Weight: 3 kg	
G73-1 Fits: GM cab	Top-Bar Estimated fitting time: 0,5 hour Weight: 5 kg	0000	H73-3	Light-Bar Estimated fitting time: 1 hour Overhang of vehicle: 140 mm Weight: 4 kg	
G73-2 Fits: GN cab	Top-Bar Estimated fitting time: 0,5 hour Weight: 5 kg	- <u></u>	S-1 0-2 500 mm S-2 2 501-5 000 mm	Sideliner Order to size required up to 2.5 metres per length	CARRY CARRY
G75-1 Fits: GX cab	Top-Bar Estimated fitting time: 0,5 hour Weight: 5 kg	-2223-	15935	Catwalk Can be mounted together with some roof mounting.	
G75-2 Fits: GX cab	Top-Bar Estimated fitting time: 0,5 hour Weight: 9,3 kg	6999			

FITTING TIME IS EXCLUDING WIRING. THE WEIGHTS INDICATED ARE FOR THE BAR ONLY - EXCLUDES ACCESSORIES



AIRFLOW

Trux products are supplied as standard in the unique Airflow design but is also available in plain smooth profile.



All Trux products can be supplied in any colour and even special colors such as Pearl- and metallic lacquer.



MADE IN SWEDEN

All Trux products are made in Sweden, but no matter where in the world you are – they always protect your trucks fragile parts.

