

VOLVO FE/FL



Trux[®]
Always in the frontline

Trux Top-Bar G13-2
Trux Offroad B13-2



VOLVO FE



Trux Light-Bar H13-2



Trux Top-Bar G13-2



Trux rear Top-Bar G13-1
Trux spacing tube E13-2

Trux Top-Bar G13-6
Trux Offroad B13-6



VOLVO FL



Trux Light-Bar H13-6



Trux Top-Bar G13-6

PRODUCT RANGE

B13-2
Fits:
FE

Offroad
Estimated fitting time:
1 hour
Overhang of vehicle:
200 mm
Weight: 24 kg



B13-6
Fits:
FL

Offroad
Estimated fitting time:
1 hour
Overhang of vehicle:
185 mm
Weight: 20 kg



G13-2
Fits:
FE

Top-Bar
Estimated fitting time:
1 hour
Weight: 4 kg



G13-6
Fits:
FL

Top-Bar
Estimated fitting time:
1 hour
Weight: 5 kg



G13-1
Fits:
FE/FL 2007

Rear Top-Bar
Estimated fitting time:
0,5 hour
Weight: 3 kg



E13-2
Fits:
FE/FL 2007
(L2H1)

Spacing tube
Estimated fitting time:
0,5 hour
Weight: 1,5 kg/set



E13-3
Fits:
FE/FL 2007
(L3H1)

Spacing tube
Estimated fitting time:
0,5 hour
Weight: 2 kg/set



H13-2
Fits:
FE

Light-Bar
Estimated fitting time:
1 hour
Overhang of vehicle:
90 mm
Weight: 4 kg



H13-6
Fits:
FL

Light-Bar
Estimated fitting time:
1 hour
Overhang of vehicle:
90 mm
Weight: 3,5 kg



FITTING TIME IS EXCLUDING WIRING. THE WEIGHTS INDICATED ARE FOR THE BAR ONLY – EXCLUDES ACCESSORIES



AIRFLOW

Trux products are supplied as standard in the unique Airflow design but is also available in plain smooth profile.



PAINTED AND READY

All Trux products can be supplied in any colour and even special colors such as Pearl- and metallic lacquer.



MADE IN SWEDEN

All Trux products are made in Sweden, but no matter where in the world you are – they always protect your trucks fragile parts.

Trux®

Always in the frontline