






	<p><b>Airflow Clamp</b> A designed clamp that belongs in our Airflow-series. It consists of two parts that are connected and squeezed together with a screw. Allows flexibility when mounting different accessories. 1 pc conduit entry is delivered with each clamp.</p> <p>Weight: 0,25 kg Material: Aluminum</p>	<p><b>15903</b> Anodized</p> <p><b>16903</b> White powder</p> <p><b>17903</b> Black powder</p> <p><b>18903</b> Sand blasted</p> <p><b>19903</b> Painted</p>	<p><b>350,-</b></p> <p><b>360,-</b></p> <p><b>360,-</b></p> <p><b>350,-</b></p> <p><b>360,-</b></p>
	<p><b>AF Extension</b> Extension suitable for the AF Clamp design. To be used in cases when the accessory is to be mounted further away from – or sideways from the clamps location.</p> <p>Weight: 0,20 kg Material: Aluminum</p>	<p><b>15923</b> Anodized</p> <p><b>16923</b> White powder</p> <p><b>17923</b> Black powder</p> <p><b>18923</b> Sand blasted</p> <p><b>19923</b> Painted</p>	<p><b>120,-</b></p> <p><b>130,-</b></p> <p><b>130,-</b></p> <p><b>120,-</b></p> <p><b>130,-</b></p>
	<p><b>Mounting plate for beacons</b> in 3 different sizes Material: Aluminium</p> <p>A = 150 mm B = 107 mm</p> <p>Weight: 0,25 kg</p>	<p><b>15915</b> Anodized</p> <p><b>16915</b> White powder</p> <p><b>17915</b> Black powder</p> <p><b>18915</b> Sand blasted</p> <p><b>19915</b> Painted</p>	<p><b>240,-</b></p> <p><b>250,-</b></p> <p><b>250,-</b></p> <p><b>240,-</b></p> <p><b>250,-</b></p>
	<p>A = 170 mm B = 130 mm</p> <p>Weight: 0,35 kg</p>	<p><b>15917</b> Anodized</p> <p><b>16917</b> White powder</p> <p><b>17917</b> Black powder</p> <p><b>18917</b> Sand blasted</p> <p><b>19917</b> Painted</p>	<p><b>250,-</b></p> <p><b>260,-</b></p> <p><b>260,-</b></p> <p><b>250,-</b></p> <p><b>260,-</b></p>
	<p>A = 240 mm B = 200 mm</p> <p>Weight: 0,65 kg</p>	<p><b>15916</b> Anodized</p> <p><b>16916</b> White powder</p> <p><b>17916</b> Black powder</p> <p><b>18916</b> Sand blasted</p> <p><b>19916</b> Painted</p>	<p><b>280,-</b></p> <p><b>290,-</b></p> <p><b>290,-</b></p> <p><b>280,-</b></p> <p><b>290,-</b></p>

	<p><b>Clamp</b> Consist of two parts that are connected and squeezed together with a screw. Allows flexibility when mounting different accessories. 1 pc conduit entry is delivered with each clamp.</p> <p>Weight: 0,25 kg Material: Aluminium</p>	<p><b>15902</b> Anodized</p> <p><b>16902</b> White powder</p> <p><b>17902</b> Black powder</p> <p><b>18902</b> Sand blasted</p> <p><b>19902</b> Painted</p>	<p><b>290,-</b></p> <p><b>300,-</b></p> <p><b>300,-</b></p> <p><b>290,-</b></p> <p><b>300,-</b></p>
	<p><b>Extension</b> To be used in cases when the accessory is to be mounted further away from – or sideways from the clamps location.</p> <p>Weight: 0,15 kg Material: Aluminum</p>	<p><b>15912</b> Anodized</p> <p><b>16912</b> White powder</p> <p><b>17912</b> Black powder</p> <p><b>18912</b> Sand blasted</p> <p><b>19912</b> Painted</p>	<p><b>120,-</b></p> <p><b>130,-</b></p> <p><b>130,-</b></p> <p><b>120,-</b></p> <p><b>130,-</b></p>
	<p><b>Clamp 20 mm</b> Consist of two parts that are connected and squeezed together with a screw. Allows flexibility when mounting different accessories.</p> <p>Weight: 0,15 kg Material: Aluminum</p>	<p><b>15956</b> Anodized</p> <p><b>18956</b> Sand blasted</p> <p><b>19956</b> Painted</p>	<p><b>220,-</b></p> <p><b>220,-</b></p> <p><b>230,-</b></p>
	<p><b>Mounting plate</b> For mounting of Hella Luminator in X-Light bars. Makes the spotlights glass to be in level with the X-light bar.</p> <p>Weight: 0,10 kg Material: Aluminium</p>	<p><b>15907</b> Anodized</p> <p><b>16907</b> White powder</p> <p><b>18907</b> Sand blasted</p> <p><b>19907</b> Painted</p>	<p><b>210,-</b></p> <p><b>220,-</b></p> <p><b>210,-</b></p> <p><b>220,-</b></p>



### Angled extension

For mounting warning beacons on Top-bars. The four holes give you many choices for the best location of the beacon.

Weight: 0,15 kg

Material: Aluminum

### Angled 5°

<b>15961</b> Anodized	140,-
<b>16961</b> White powder	150,-
<b>17961</b> Black powder	150,-
<b>18961</b> Sand blasted	140,-
<b>19961</b> Painted	150,-

### Angled 8°

<b>15945</b> Anodized	140,-
<b>16945</b> White powder	150,-
<b>17945</b> Black powder	150,-
<b>18945</b> Sand blasted	140,-
<b>19945</b> Painted	150,-

### Angled 17°





<b>15946</b> Anodized	140,-
<b>16946</b> White powder	150,-
<b>17946</b> Black powder	150,-
<b>18946</b> Sand blasted	140,-
<b>19946</b> Painted	150,-





### Angled 29°








<b>15952</b> Anodized	140,-
<b>16952</b> White powder	150,-
<b>17952</b> Black powder	150,-
<b>18952</b> Sand blasted	140,-
<b>19952</b> Painted	150,-

### Angled 50°



<b>15947</b> Anodized	140,-
<b>16947</b> White powder	150,-
<b>17947</b> Black powder	150,-
<b>18947</b> Sand blasted	140,-
<b>19947</b> Painted	150,-

	<p><b>Universal fitting</b> For roof signs / light bars</p> <p>Delivered in a set of two brackets and screws.</p> <p>Weight: 0,60 kg Material: Aluminum</p>	<p><b>20409</b> Anodized black</p>	<p><b>600,-</b></p>
	<p><b>Bracket for accessories</b> To be fitted on Scania 4-, R-, G-, P- and T-series roof rails.</p> <p>Weight: 0,30 kg Material: Aluminum</p>	<p><b>17920</b> Black powder</p>	<p><b>900,-</b></p>
	<p><b>Elevation set for roof sign</b> For Scania C19N cabin.</p> <p><i>Delivered in a set of two brackets with screws and distances.</i></p> <p>Weight: 1,20 kg Material: Aluminum</p> <p><b>Note! Excl. Clamps!</b></p>	<p><b>17921</b> Black powder</p>	<p><b>650,-</b></p>
	<p><b>Rotation beacon Hella KL-Rotafix</b> Fits mounting plate 165 mm Delivered incl. 24V bulb</p>	<p><b>97016</b></p>	


	<p><b>Monterad kabelsats</b> för 4 extraljus i Light-Bar eller X-Bar. 14 x 1,5 mm<sup>2</sup></p>	<p><b>97177</b></p>	<p><b>2 300,-</b></p>
	<p><b>Electric wiring</b> mounted in Top-bar or Light ramp (not for plow lights)</p> <p>For 2 units (4 x 1,5 mm<sup>2</sup> and 2 x 0,5 mm<sup>2</sup>)</p> <p>For 4 units (4 x 1,5 mm<sup>2</sup> and 2 x 0,5 mm<sup>2</sup>)</p> <p>For 6 units (4 x 1,5 mm<sup>2</sup> and 2 x 0,5 mm<sup>2</sup>)</p> <p><b>Electric wiring, (not mounted)</b></p> <p>For 2 units</p> <p>For 4 units</p> <p>For 6 units</p>	<p><b>97173</b></p> <p><b>97174</b></p> <p><b>97175</b></p> <p><b>97086</b></p> <p><b>97087</b></p> <p><b>97088</b></p>	<p><b>1500,-</b></p> <p><b>2 300,-</b></p> <p><b>2 800,-</b></p> <p><b>1 100,-</b></p> <p><b>1 900,-</b></p> <p><b>2 300,-</b></p>
	<p><b>Cable with Volvo contact</b> for front Top-Bar (G16-2/4/6) (mounted)</p> <p><b>For 2 warning lights</b> (needs preparation on truck)</p> <p>Cable to the left</p> <p>Cable to the right</p> <p><b>For 4 spotlights</b> (needs preparation (SPOTP.R) on truck)</p> <p>Cable to the right</p> <p><b>Cable with Volvo contact</b> (not mounted)</p> <p><b>For 2 warning lights</b> (needs preparation on truck)</p> <p><b>For 4 spotlights</b> (needs preparation (SPOTP.R) on truck)</p>	<p><b>98186</b></p> <p><b>98187</b></p> <p><b>98188</b></p> <p><b>98086</b></p> <p><b>98088</b></p>	<p><b>2 100,-</b></p> <p><b>2 100,-</b></p> <p><b>2 400,-</b></p> <p><b>1 400,-</b></p> <p><b>1 700,-</b></p>
	<p><b>Electric wiring</b> mounted in front protections, incl. pin plug and 4 clamps</p> <p><b>Electric wiring</b> for front protector, not mounted (excl. clamps)</p>	<p><b>97185</b></p> <p><b>98085</b></p>	<p><b>3 600,-</b></p> <p><b>2 200,-</b></p>

  	<p><b>Hella 3003 spot lights</b></p> <p>High Boost reflector with the latest lighting technology. Delivered with 24V bulbs.</p> <p>Wide beam with parking light</p> <p>Pencil beam</p> <p><b>Blue</b> wide beam with parking light</p> <p><b>Blue</b> pencil beam</p> <p>Wide beam with parking light chrome ring</p> <p><b>Blue</b> wide beam with parking light chrome ring</p> <p>Wide beam with parking light ref. 50</p> <p>Wide beam with parking light, chrome ring ref. 50</p> <p><b>Blue</b> wide beam with parking light, ref 50</p> <p><b>Blue</b> wide beam w. parking light, chrome ring ref 50</p> <p>Wide beam with LED parking light ref. 25</p> <p>Wide beam w. LED parking light, chrome ring ref 25</p>	<p><b>For price ask for quote</b></p> <p><b>97039</b></p> <p><b>97040</b></p> <p><b>97043</b></p> <p><b>97044</b></p> <p><b>98015</b></p> <p><b>98016</b></p> <p><b>98030</b></p> <p><b>98031</b></p> <p><b>98032</b></p> <p><b>98033</b></p> <p><b>98034</b></p> <p><b>98035</b></p>	
   	<p><b>Flash lamp Hella BST LED yellow</b></p> <p>Separate</p> <p>Mounted</p> <p><b>Flash lamp Flextra LED slim yellow</b></p> <p>Separate</p> <p>Mounted</p>	<p><b>98044</b></p> <p><b>98144</b></p> <p><b>98050</b></p> <p><b>98150</b></p>	<p><b>1 500,-</b></p> <p><b>2 400,-</b></p> <p><b>1 200,-</b></p> <p><b>1 600,-</b></p>

	<p><b>Mounted spot lights,</b> delivered with bulbs and connected wires</p> <p>Hella 3003 wide/parking light</p> <p>Hella 3003 pencilbeam</p> <p>Hella 3003 Blue wide/parking light</p> <p>Hella 3003 Blue pencilbeam</p> <p>Hella 3003 wide/parking light, chrome ring</p> <p>Hella 3003 Blue wide/parking light, chrome ring</p> <p>Hella 3003 ref.50 with parking light</p> <p>Hella 3003 ref.50 with park.light, chrome ring</p> <p>Hella 3003 Blue ref.50 with parking light</p> <p>Hella 3003 Blue ref.50 with park.light, chrome ring</p> <p>Hella 3003 with LED park.light ref.25</p> <p>Hella 3003 with LED park.light ref.25 chrome ring</p>	<p><b>97139</b></p> <p><b>97140</b></p> <p><b>97143</b></p> <p><b>97144</b></p> <p><b>98115</b></p> <p><b>98116</b></p> <p><b>98130</b></p> <p><b>98131</b></p> <p><b>98132</b></p> <p><b>98133</b></p> <p><b>98134</b></p> <p><b>98135</b></p>	<p><b>For price ask for quote</b></p>
	<p><b>NBB Alpha 225 LED</b></p> <p>Spotlights with high-performance diodes.</p> <p>Diam.: 225 mm Weight: 2,5 kg Volt: 10-30 V Watt: 50 W</p> <p>Wide (Ref 50)</p> <p>Pencil</p> <p>Mounted wide (Ref 50)</p> <p>Mounted pencil</p>	<p><b>98092</b></p> <p><b>98093</b></p> <p><b>98192</b></p> <p><b>98193</b></p>	<p><b>ask for quote</b></p>

	<p><b>Extension 200 mm</b></p> <p>For working lights on G16- and G24-series.</p>	<p>15962 Anodized</p> <p>16962 White powder</p> <p>17962 Black powder</p> <p>18962 Sand blasted</p> <p>19962 Painted</p>	<p><b>340,-</b></p> <p><b>350,-</b></p> <p><b>350,-</b></p> <p><b>340,-</b></p> <p><b>350,-</b></p>
	<p><b>Plow light Hella</b></p> <p>With full beam, dim light, parking light And side mounted yellow blinker. Complete with connection and bulbs.</p>	<p><b>98054</b> Left side</p> <p><b>98055</b> Right side</p>	<p><b>ask for quote</b></p>
<p><b>Cabin ladder</b></p> 	<p><b>Cabin ladder separate (L: 2,7 m)</b></p>	<p>15940</p>	<p><b>5 900,-</b></p>



	<b>LED position lights</b>		
	Separate LED position light, white (6000k)	99031	<b>190,-</b>
	Separate LED position light, amber	99032	<b>190,-</b>
	Separate LED position light, red	99033	<b>190,-</b>
	Separate wiring for 3pcs LED position light	99001	<b>680,-</b>
	Separate wiring for 5pcs LED position light	99002	<b>980,-</b>
	Separate wiring for 7pcs LED position light	99003	<b>1180,-</b>
	Mounted LED position light, white	99131	<b>700,-</b>
	Mounted LED position light, amber	99132	<b>700,-</b>
	Mounted LED position light, red	99133	<b>700,-</b>
	Mounted LED position light kit with 3pcs white lights	99101	<b>2200,-</b>
	Mounted LED position light kit with 3pcs amber lights	99102	<b>2200,-</b>
	Mounted LED position light kit with 3pcs red lights	99103	<b>2200,-</b>
	Mounted LED position light kit with 5pcs white lights	99104	<b>2900,-</b>
	Mounted LED position light kit with 5pcs amber lights	99105	<b>2900,-</b>
	Mounted LED position light kit with 5pcs röda lights	99106	<b>2900,-</b>
	Mounted LED position light kit with 7pcs lights (5pcs white + 2pcs amber)	99107	<b>3700,-</b>
	Mounted LED position light kit with 7pcs amber lights	99108	<b>3700,-</b>
	<b>X-it Light</b>		
	Mounted X-it Light	<b>98180</b>	<b>800,-</b>
	Separate X-it Light	<b>98080</b>	<b>700,-</b>

	<b>LED position lights with amber strobes</b>		
	Separate LED position light white with amber strobes.	99035	<b>350,-</b>
	Separate LED position light amber with amber strobes.	99036	<b>350,-</b>
	Separate LED position light red with amber strobes.	99037	<b>350,-</b>
	Separate wiring for 3pcs LED position light with amber strobes	99021	<b>810,-</b>
	Separate wiring for 5pcs LED position light with amber strobes	99022	<b>1130,-</b>
	Separate wiring for 7pcs LED position light with amber strobes	99023	<b>1280,-</b>
	Mounted LED position light, white with amber strobes	99135	<b>950,-</b>
	Mounted LED position light, amber with amber strobes	99136	<b>950,-</b>
	Mounted LED position light, red with amber strobes	99137	<b>950,-</b>
	Mounted LED position light kit with 3pcs white lights with amber strobes	99110	<b>2800,-</b>
	Mounted LED position light kit with 3pcs amber lights with amber strobes	99111	<b>2800,-</b>
	Mounted LED position light kit with 3pcs red lights with amber strobes	99112	<b>2800,-</b>
	Mounted LED position light kit with 5pcs white lights with amber strobes	99113	<b>3500,-</b>
	Mounted LED position light kit with 5pcs amber lights with amber strobes	99114	<b>3500,-</b>
	Mounted LED position light kit with 5pcs red lights with amber strobes	99115	<b>3500,-</b>
	Mounted LED position light kit with 7pcs lights (5pcs white + 2pcs amber) with amber strobes	99116	<b>4500,-</b>
	Mounted LED position light kit with 7pcs amber lights with amber strobes	99117	<b>4500,-</b>