

Front protection complete with fittings: Brackets, bolts and tool key



Type HIGHWAY

	Airflow	A23-3	44 400,-
	Smooth profile	A23-3S	44 400,-
Mounting kit			
Low bumper / normal chassis		80262	
Low bumper / wide chassis		80260	
Hight bumper / normal & wide chass	is	80261	



Type OFFROAD for low bumper

Type Citite 120 to 100 bumper			
,	Airflow	B23-3	37 600,-
	Smooth profile	B23-3S	37 600,-
Mounting kit		00040	
Low bumper / normal chassis		80219	
Low bumper / wide chassis		80218	



Type OFFROAD for high bumper

	Airflow	B23-5	37 600,-
	Smooth profile	B23-5S	37 600,-
Mounting kit			
High bumper / normal & wide chassi	s	80217	
Projecting bumper (50 mm) / wide cl	nassis	80222	
Projecting bumper (50 mm) / normal	chassis	80223	

$\textbf{Light-Bar with } \textbf{m} \underline{\textbf{ounting kit}}$



Lights and clamps are not included!

6 200,-Airflow H23-2 6 200,-H23-2S

Smooth profile



X-Light complete with fittings: Bolts, pre- wired and 4 spotlight clamps



For low bumper	Airflow	K23-2	9 500,-
	Smooth profile	K23-2S	9 500,-
Mounting kit for wide chassis	with low bumper	20528	240 -

X-Light LP complete with fittings: Bolts, pre-wired and 4 spotlight clamps



For high/ low bumper	Airflow	K23-3	8 800,-
Mounting kit for wide chassis wit	th low bumper	20528	240,-
Mounting kit for wide chassis wit	th high bumper	20529	240,-

 $\textbf{X-Light HB complete with fittings:} \ \, \textbf{Bolts, pre-wired and 4 spotlight clamps}$



For high bumper	Airflow	K23-5	9 500,-
	Smooth profile	K23-5S	9 500,-
Mounting kit for wide chassis with	th high bumper	20529	240,-

X-Bar with mounting kit




H23-3S	4 900,-
20528	240,-
20529	240,-
	20528

Airflow

H23-3

4 900,-

Lyktor och klämfästen ingår ej!



Pos. 1	Top-Bar with mounting kit	7 6 4		0.400
	for C14L, C16L and C		G23-1	6 100,- 6 100,-
	(040)	Smooth profile	G23-1S	
	for C19N	Airflow Smooth profile	G23-2 G23-2S	6 100,- 6 100,-
	for C19H	Airflow	G23-6	6 100,-
	101 C13H	Smooth profile	G23-6S	6 100,-
Pos. 2	Rear Top-Bar with mounting kit			,
. 55. 2	for C14L, C16L and C		G23-5	5 300,-
		Smooth profile	G23-5S	5 300,-
	for C19N and C19H	Airflow	G23-4	5 300,-
		Smooth profile	G23-4S	5 300,-
Pos. 3	Catwalk, with fittings		15938	4 700,-
Pos. 3 Pos. 4	Catwalk, with fittings Airflow clamp		15938 15903	4 700,- 350,-
	-			
	Airflow clamp		15903	350,-
Pos. 4	Airflow clamp Clamp (for smooth profile)		15903 15902	350,- 290,-
Pos. 4	Airflow clamp Clamp (for smooth profile) Airflow extension	8° (for G23-1)	15903 15902 15923	350,- 290,- 120,-
Pos. 4 Pos. 5	Airflow clamp Clamp (for smooth profile) Airflow extension Extension	8° (for G23-1) 17° (for G23-2)	15903 15902 15923 15912	350,- 290,- 120,- 120,-
Pos. 4 Pos. 5	Airflow clamp Clamp (for smooth profile) Airflow extension Extension		15903 15902 15923 15912 15945	350,- 290,- 120,- 120,- 140,-
Pos. 4 Pos. 5	Airflow clamp Clamp (for smooth profile) Airflow extension Extension	17° (for G23-2)	15903 15902 15923 15912 15945 15946	350,- 290,- 120,- 120,- 140,- 140,-
Pos. 4 Pos. 5 Pos. 6	Airflow clamp Clamp (for smooth profile) Airflow extension Extension Angled extension for beacon	17° (for G23-2) 50° (for G23-6)	15903 15902 15923 15912 15945 15946 15947	350,- 290,- 120,- 120,- 140,- 140,-
Pos. 4 Pos. 5 Pos. 6	Airflow clamp Clamp (for smooth profile) Airflow extension Extension Angled extension for beacon	17° (for G23-2) 50° (for G23-6) Ø 150 mm	15903 15902 15923 15912 15945 15946 15947 15915	350,- 290,- 120,- 120,- 140,- 140,- 240,-
Pos. 4 Pos. 5 Pos. 6	Airflow clamp Clamp (for smooth profile) Airflow extension Extension Angled extension for beacon	17° (for G23-2) 50° (for G23-6) Ø 150 mm Ø 165 mm Ø 240 mm	15903 15902 15923 15912 15945 15946 15947 15915	350,- 290,- 120,- 120,- 140,- 140,- 240,- 250,-
Pos. 4 Pos. 5 Pos. 6 Pos. 7	Airflow clamp Clamp (for smooth profile) Airflow extension Extension Angled extension for beacon Mounting plate for beacon	17° (for G23-2) 50° (for G23-6) Ø 150 mm Ø 165 mm Ø 240 mm to fit original roof rails	15903 15902 15923 15912 15945 15946 15947 15915 15917	350,- 290,- 120,- 120,- 140,- 140,- 240,- 250,- 280,-
Pos. 4 Pos. 5 Pos. 6 Pos. 7	Airflow clamp Clamp (for smooth profile) Airflow extension Extension Angled extension for beacon Mounting plate for beacon	17° (for G23-2) 50° (for G23-6) Ø 150 mm Ø 165 mm Ø 240 mm to fit original roof rails	15903 15902 15923 15912 15945 15946 15947 15915 15917 15916 17920	350,- 290,- 120,- 120,- 140,- 140,- 240,- 250,- 280,- 900,-


U-Bar with mounting kit (not together with a front protection)



For **high/low** bumper Airflow L23-2 **5 800,-**

Smooth profile L23-2S **5 800,-**

Sideliner



Total length / side 0 - 2500 mm

 Airflow
 S-1A
 4 000,

 Smooth profile
 S-1S
 4 000,

Total length / side 2501 - 5000 mm

 Airflow
 S-2A
 4 800,

 Smooth profile
 S-2S
 4 800,

AIRFLOW

These products are supplied in our new AIRFLOW profile as standard.

The new generation aerodynamic accessories are designed for the highest performance. On request, we can also supply the products in the traditional "smooth" profile.



FINISH

As standard the accessories are supplied anodized in silver color.

Products can also be supplied **sand blasted** for your own lacquering, no additional charge, or **powder coated** in black or white color or **lacquered** in your own personal color, ask us for a quote.

Brackets comes standard powder coated black, but is possible to get painted in the same color as the front protection

Note! Catwalks and cabin ladders come anodized only.

PRICES: All prices are in SEK and are subject to VAT and ex works Färila (Sweden)

We reserve the rights to technical or price changes without prior notice

FURTHER INFORMATION about our accessories for mounting of, for example, lights can be found in our folder

"Accessories"

